

Claims

1. Improved bath and apparatus therefor comprising an enameled metal or plastic bath body, **characterized** in that the bath (7) is
5 provided with a pedaling assembly (1) supported by a supporting means (6) which latter forms with said pedaling assembly (1) a pedaling apparatus (8), wherein said pedaling apparatus (8) may be
- either integral with the bath body (7),
- or form a distinct pedaling apparatus (8) which can be removably
10 associated with seats (9) formed in the bath body (7),
- or may form a distinct pedaling apparatus (8) which may be removably associated with the bath body (7) by means of sucker means (13).
- 15 2. Improved bath according to claim 1, **characterized** in that said supporting means integral with the bath body has a box-like or rib-like configuration.
3. Improved bath according to claim 1, **characterized** in that said
20 supporting means is formed by two uprights.
4. Improved bath according to claim 2 and 3, **characterized** in that said supporting means are provided with cover or an upper bracket.
- 25 5. Improved bath according to claim 1, **characterized** in that said pedaling assembly is a one-piece construction or the components thereof can be removably connected together.
- 30 6. Improved bath according to claim 1, **characterized** in that said pedaling assembly is provided with pedal projecting ends which are covered by a plastic or rubber sleeve and may be inserted in corresponding seats formed in the bath body.

7. Improved bath according to claim 1, **characterized** in that said pedaling apparatus has a profiled body which may be removably fixed with the bath by means of an intermediate supporting element and/or sucker means.
8. Improved bath according to claim 1, **characterized** in that said pedaling apparatus has a hollow body housing at the bottom a sucker assembly and at the top a pedaling assembly.
9. Improved bath according to claim 8, **characterized** in that said sucker assembly is a tightly operating sucker provided with a control lever.
10. Improved bath according to claim 8, **characterized** in that the pedaling assembly is provided with an adjustable braking shoe for adjusting the pedaling resistance.
11. Improved bath according to claim 3 to 10, **characterized** in that said pedaling apparatus is provided with a programmed chip and a display for showing the pedaling speed, the covered distance, and so on.
12. Improved bath according to claim 1, **characterized** in that said pedaling apparatus has a mat-like body provided at one end with two opposite flanges for supporting the pedaling assembly.
13. Improved bath according to claim 12, **characterized** in that on the free end of said mat-like body is provided a saddle-like configuration.
14. Improved bath according to claim 12, **characterized** in that the pedaling assembly supporting end is separable from the mat-like

body.

15. Improved bath according to claim 1, **characterized** in that said
pedaling assembly is pivotally housed in a box-like supporting
5 means.

16. Improved bath according to claim 1, **characterized** in that the
pedaling apparatus is carried out in the form of a swingable seat.

10 17. Pedaling apparatus for baths having the features stated in the
previous claims and provided as a distinct pedaling apparatus.

15

20

25

30